

### 58007 Non-sparking double open-end wrench

**Type**  
Special bronze alloy.



Size mm	58007 ...
6 x 7	201
8 x 9	202
10 x 11	103
12 x 13	104
14 x 15	105

Size mm	58007 ...
16 x 17	106
17 x 19	207
18 x 19	107
20 x 22	208
21 x 23	108

Size mm	58007 ...
24 x 27	209
25 x 28	109
30 x 32	210

### 58010 Non-sparking combination wrench

**Type**  
Special bronze alloy.



Size mm	58010 ...
6 x 6	101
7 x 7	102
8 x 8	103
9 x 9	303
10 x 10	104
11 x 11	304
12 x 12	105
13 x 13	106

Size mm	58010 ...
14 x 14	306
15 x 15	307
16 x 16	308
17 x 17	107
18 x 18	309
19 x 19	108
22 x 22	109
24 x 24	110

Size mm	58010 ...
27 x 27	111
30 x 30	112
32 x 32	113
36 x 36	114
41 x 41	115
46 x 46	116

### 58011 Non-sparking striking-face ring wrench

**Type**  
Double hexagon. Special bronze alloy.



Size mm	58011 ...
24	101
30	102
32	103

Size mm	58011 ...
36	104
41	105
46	106

Size mm	58011 ...
50	107
55	108
60	109

### 58015 Non-sparking adjustable wrench

**Type**  
Copper-beryllium alloy.

Overall length mm / inch	Jaw opening mm	58015 ...
200 / 8	25	201
300 / 12	35	202



### 58019 Non-sparking angled pipe tongs

**Type**  
Swedish shape, with straight jaws, copper-beryllium alloy.

Jaw opening inch	58019 ...
2	201



### 58022 Non-sparking hexagon socket wrench bits

**Type**  
With square drive, driving square: 1/2inch, special bronze alloy.

Size mm	58022 ...
24	210
27	211
30	212
32	213



5

## • Non-sparking tools

58023

### Non-sparking ratchets

1/2"

#### Type

Reversible, clockwise and counterclockwise operation, copper-beryllium alloy.

58023



Driving square inch	Overall length mm	58023 ...
1/2	250	201

58030

### Non-sparking hexagon wrench DIN 911



#### Type

Offset, special bronze alloy.

58030



Size mm	58030 ...
2	201
3	202
4	203
5	204
6	205
8	206
10	207
12	208
14	209

58040

### Non-sparking screwdriver



#### Type

Copper-beryllium alloy.

58040



Cutting edge width mm	Blade length mm	58040 ...
3	50	301
4	100	302
6	100	303
6	150	304
8	150	305
10	200	306

58043

### Non-sparking Phillips screwdriver PH



#### Type

Copper-beryllium alloy.

58043



Size PH	blade length x Overall length mm	58043 ...
1	80 x 155	301
2	100 x 195	302
3	150 x 245	303
4	200 x 305	304

58058

### Non-sparking flat scraper

#### Type

With plastic handle, special bronze alloy.

58058



Blade length mm	Width mm	58058 ...
200	30	201

58060

### Non-sparking offset scraper

#### Type

Offset on one side, special bronze alloy.

58060



Length mm	Width mm	58060 ...
270	40	201

**58062**

### Non-sparking machinist's hammers DIN 1041

**Type**

With hickory handle. Special bronze alloy.

**58062**

Weight without handle	58062	...
g		
300		201
500		202
800		203
1000		204


**58063**

### Non-sparking sledge hammers DIN 1042

**Type**

With hickory handle. Special bronze alloy.

**58063**

Weight	58063	...
kg		
3		201
5		202


**58064**

### Non-sparking stonemason's hammer

**Type**

With hickory handle. Special bronze alloy.

**58064**

Weight	58064	...
kg		
1,5		202
3,0		203


**58070**

### Non-sparking centre punches

**Type**

Special bronze alloy.

**58070**

Length	58070	...
mm		
100		201


**58075**

### Non-sparking offset pin drift

**Type**

Special bronze alloy.

**58075**

Length	Thickness	58075	...
mm	mm		
450 x 150	16		201


**58076**

### Non-sparking flat chisel

**Type**

Special bronze alloy.

**58076**

Length	58076	...
mm		
200		201
300		203


**58077**

### Non-sparking cape chisel

**Type**

Special bronze alloy.

**58077**

Length	58077	...
mm		
200		201



## • Non-sparking tools

58080

### Non-sparking pliers

**Type**

Copper-beryllium alloy.



58080 202



58080 205




58080 203



58080 206



58080 207



58080 208

	Length mm	58080 ...
Combination pliers	200	202
Flat-nosed pliers	160	203
Telephone pliers	160	205
Diagonal cutting pliers	160	206
Waterpump pliers	250	207
Carpenter's pincers	200	208

58085

### Non-sparking scissors

**Type**

With 1 round eye and 1 oval eye each, copper-beryllium alloy.



58085

Length mm	58085 ...
225	201

58088

### Non-sparking knife

**Type**

With wooden handle, copper-beryllium alloy.



58088

Length mm	58088 ...
250	201

58090

### Non-sparking scriber

**Type**

With 1 straight tip and 1 offset tip each, special bronze alloy.



58090

Length mm	Thickness mm	58090 ...
225	4	201

58092

### Non-sparking scraper

**Type**

Straight, rigid blade, brass.



58092

Width mm	58092 ...
50	201
100	202

58094

### Non-sparking wire brush

**Type**

Round wire, with wooden body, 3 rows, Tin-bronze wire.



58094

Length mm	58094 ...
350	201